

CATALOGED BY DDC
AS AD No. 410108

410108

OFFICE OF NAVAL RESEARCH

Contract Nonr 3395(00)

Task No. NR 356-431

TECHNICAL REPORT NO. 17

A New Series of Organoboranes IV.
The Participation of the 11,12-Dicarbadodecaborane
Nucleus in Some Novel Heteratomic Ring Systems

by

Stelvio Papetti and T. L. Heying

Prepared for Publication

in

Inorganic Chemistry

Olin Mathieson Chemical Corporation

Organics Division

New Haven, Connecticut

JUNE 1963

Reproduction in whole or in part is permitted for
any purpose of the United States Government

N-43 4-3

RECEIVED
JUN 11 1963
LIBRARY

CONTRIBUTION FROM THE RESEARCH LABORATORIES,
ORGANICS DIVISION, OLIN MATHIESON CHEMICAL CORPORATION
NEW HAVEN, CONNECTICUT

A New Series of Organoboranes IV.
The Participation of the 11,12-Dicarbadoecaborane
Nucleus in Some Novel Heteratomic Ring Systems

by

Stelvio Papetti and T. L. Heying

Received.....

Various chlorosilylcarborane¹ derivatives were


-
- (1) For brevity the term carborane is used in place of the formal name 11,12-dicarbadoecaborane for the compound $\text{H}-\text{C} \equiv \text{C}-\text{H}$. For structure refer to paper I of this B₁₀H₁₀ series by H. Schroeder, T. L. Heying and J. R. Reiner, Inorg. Chem. 2, in press.
-

prepared. In subsequent reactions with amines or water a marked propensity for the formation of five membered disila azane and disila oxane rings was exhibited. In reactions with dilithiocarborane, novel disilacyclohexane analogs were formed.

In the preceding paper² several examples of the synthesis

-
- (2) T. L. Heying, J. W. Ager, S. L. Clark, R. P. Alexander, S. Papetti, J. A. Reid and S. I. Trotz, Inorg. Chem. _____.
-


of mono and disilylcarboranes were given. Utilization of the same general preparative procedures has proven quite satisfactory for the preparation chlorosilylcarboranes in good yield as indicated in reaction 1.




I - R = -CH₃

II - R = -C₆H₅

By applying the proper stoichiometry we were able to prepare the corresponding tetrachloro and hexachloro derivatives in surprisingly good yield.




III



IV


To determine whether bis(chloro dimethylsilyl)carborane (I) would behave chemically as do the conventional organic derivatives, it was subjected to hydrolysis expecting to form a macrocyclic siloxane, a linear silicone or possibly the corresponding dihydroxy compound. To the contrary, under all of the many sets of conditions attempted to date, I was converted to the cyclic tetramethyldisila oxane, V. In most instances it is achieved in high purity in essentially quantitative yield.



V


The cyclic structure was first assigned on the basis of its elemental analysis, molecular weight and infrared spectrum. This assignment was borne out subsequently by examination of its mass spectrum which is in agreement in every detail. The same evidence has been gained for those novel cyclic structures discussed below. Compound V above has also been prepared by the reaction of dilithiocarborane with excess tetramethyl dichlorodisiloxane.

When bis(chloro dimethylsilyl)carborane was treated with ammonia, a similar reaction occurred to give in this instance the cyclic tetramethyl disila azane, VI.



Unlike the numerous organic silicon-nitrogen bonded compounds which have been noted to readily react with moisture, we have been unable to hydrolyze this and related compounds. Also this compound and its disila oxane analog V were recovered quantitatively unchanged after heating at 500°C. Above this temperature some methane was evolved.

Aminolysis of bis(dichloro methylsilyl)carborane with ammonia and methylamine (III) was next studied and here high yields of substituted cyclic disila azanes VI and VII formed.




Hydrolysis of these compounds also left the disila azane ring in tact but the pendant -NHR groups were attacked.

The ease with which these reactions occur to form five membered rings bears notice. We have observed a similar situation in other carborane derivatives wherein the three ring atoms other than the carboranyl carbon pair are -C-C-C-, -C-O-C- and -C-Si-C-². Other workers in these laboratories³

(3) R. P. Alexander and H. Schroeder, Inorg. Chem. _____

have encountered a similar situation wherein the non-carboranyl ring atoms are -P-N-P-. This suggests that the exonuclear bond angles and the bond distance of the two carborane carbon atoms are of a magnitude particularly suited for participation in five membered rings. Also, to our knowledge, there is no instance of the participation of one carboranyl nucleus in a larger ring and this further suggests that this bond angle is quite invariant. Further support of this concept comes from the fact that the infrared carbon-hydrogen stretching absorption occurs at 3.25μ ¹ which is essentially the same as that of the rigidly oriented acetylenic $\equiv\text{C-H}$.

When bis(chloro dimethylsilyl)carborane was treated with dilithiocarborane a reaction occurred which gave a product having a six membered ring composed of four carbon atoms of two carborane nuclei and two silicon atoms.



All chemical and instrumental analyses are in complete agreement again. This too seems to be a favored type of ring system since an analogous system wherein the silicon atoms are replaced by phosphorus III has recently been discovered³. When bis(trichlorosilyl)carborane was similarly treated with an equimolar quantity of dilithiocarborane the analogous reaction occurred to give the cyclic tetrachloroderivative $(\text{Cl}_2\text{Si}-\text{C})_2$ (X). It is of interest that no change in X occurred when $\text{B}_{10}\text{H}_{10}$ it was treated with water at room temperature thereby not showing the normal tendency of the silicon-chlorine for hydrolysis. This phenomenon is being investigated in more detail as is the general preparative and polymer chemistry of all of the novel heterocyclic compounds herein reported.

EXPERIMENTAL

Bis(chloro dimethylsilyl) carborane I: A dilithiocarborane slurry² was prepared from 50.0 gr. (0.347 mol.) carborane⁴ and

(4) We thank Mr. R. W. Blundon for preparing a continuing supply of carborane for this work.

2.05 moles of butyl lithium in ether and slowly added to a stirred, ethereal solution of 98.33 gr. (0.762 mol.) dichloro dimethylsilane cooled in an ice bath. When addition was complete the mixture was refluxed overnight and then filtered. The filtrate was evaporated to dryness and the residue was sublimed under vacuum at a bath temperature of 125-130°C and the sublimate was recrystallized from heptane. Bis(chloro dimethylsilyl)carborane (m.p. 112.5-113.5°C)⁵ was recovered

(5) All melting points were taken on Mel-Temp Apparatus and are uncorrected.

in 88% yield.

Anal:⁶ Calc'd for $C_6H_{22}B_{10}Cl_2Si_2$: C, 21.84; H, 6.86; B, 32.79;
Cl, 21.49; Si, 17.02

Found: C, 22.05; H, 6.67; B, 32.57;
Cl, 21.15; Si, 16.79

(6) Analyses were by the Olin Microanalytical Section.

Bis(chloro diphenylsilyl)carborane II: The reaction was identical with that for I using 15.35 gr. (0.106 mol.) of carborane and 59.3 gr. (0.234 mol.) of dichloro diphenylsilane. The sublimation was omitted and the 22.7% yield of bis(chloro diphenylsilyl)carborane (m.p. 244-245°C) was obtained directly by recrystallization from heptane.

Anal: Calc'd for $C_{26}H_{30}B_{10}Cl_2Si_2$: C, 54.05; H, 5.23; B, 18.12;
Cl, 12.26; Si, 9.73

Found: C, 53.80; H, 5.13; B, 18.80;
Cl, 12.15; Si, 9.27

Bis(dichloro methylsilyl)carborane III: This compound was prepared as was II but from 21.6 gr. (0.150 mol.) of carborane and 49.7 gr. (0.333 mol.) of methyl trichlorosilane. The 69.5% yield of bis(chloro methylsilyl)carborane (m.p. 119-120°C) was recovered from recrystallization from 30-60° petroleum ether.

Anal: Calc'd for $C_4H_{16}B_{10}Cl_4Si_2$: C, 12.97; H, 4.35; B, 29.22;
Cl, 38.29; Si, 15.17

Found: C, 13.10; H, 4.34; B, 29.30;
Cl, 38.35; Si, 14.75

Bis(trichlorosilyl)carborane IV: The procedure of II was followed using 15.87 gr. (0.11 mol.) carborane and 41.15 gr. (0.242 mol.) of tetrachlorosilane. The crude product was recrystallized from heptane to give a 60% yield of bis(trichlorosilyl)carborane (m.p. 121-122°C).

Anal: Calc'd for $C_2H_{10}B_{10}Cl_6Si_2$: C, 5.85; H, 2.43; B, 26.31;
Cl, 51.74; Si, 13.67

Found: C, 5.74; H, 2.51; B, 26.61;
Cl, 51.35; Si, 13.17

C,C'(1,1,3,3-tetramethyldisila oxanyl-1,3)carborane V: This compound is readily prepared by adding excess water to a benzene-acetone solution of bis(chloro dimethylsilyl)carborane (I) at room temperature. The resulting solution is concentrated under reduced pressure until most of benzene and acetone are removed, the remaining mixture filtered and the residue is either recrystallized from heptane or sublimed. A practically quantitative yield of V (m.p. 160-161°C) is obtained.

Anal: Calc'd for $C_6H_{22}B_{10}OSi_2$: C, 26.20; H, 8.07; B, 39.33;
Si, 20.42

Found: C, 26.55; H, 8.06; B, 39.30;
Si, 19.7

This compound (V) was prepared in 74.8% yield when dilithiocarborane was reacted with excess tetramethyl dichlorodisiloxane.

C,C'(1,1,3,3-tetramethyldisila azanyl-1,3)carborane VI:

Bis(chloro dimethylsilyl)carborane (I) (2.69 gr., .0081 mol.) was dissolved in 50 ml. of ethyl ether and cooled in an ice bath. Ammonia was passed through at a rapid rate for 15 minutes during which time a precipitate formed. The mixture was filtered

and the filtrate was evaporated to dryness and the residue so formed was recrystallized from high boiling petroleum ether to give an essentially quantitative yield of VI (m.p. 190-192°C).

Anal: Calc'd for $C_6H_{23}B_{10}NSi_2$: C, 26.29; H, 8.46; B, 39.49;
N, 5.11; Si, 20.49; M.W., 274

Found: C, 26.58; H, 8.21; B, 39.70;
N, 5.05; Si, 19.6; M.W., 270
(osmometric)

C,C'(1,3-diamino-1,3-dimethyldisila azanyl-1,3)carborane VII:

The procedure for VI was followed exactly using 2.0 gr. (.006 mol.) of bis(dichloro methylsilyl)carborane (III) to give a quantitative yield of VII (m.p. 189-191.5°C).

Anal: Calc'd for $C_4H_{21}B_{10}NSi_2$: C, 17.42; H, 7.68; B, 39.26;
N, 15.25; Si, 20.38; M.W., 276


Found: C, 17.41; H, 7.83; B, 38.48;
N, 14.64; Si, 20.08; M.W., 278
(cryoscopic)

C,C'(1,2,3-trimethyl-1,3-dimethylaminodisila azanyl-1,3)carborane VIII:

Methylamine was bubbled through a cooled solution of 4.7 gr. (0.014 mol.) bis(dichloro methylsilyl)carborane (III) in 60 ml. ether for 30 minutes. The mixture was filtered, the filtrate concentrated and the resulting solid was recrystallized from 30-60°C petroleum ether to give an essentially quantitative yield of VIII (m.p. 128-129.5°C).

Anal: Calc'd for $C_7H_{27}B_{10}N_3Si_2$: N, 13.23; Si, 17.68; M.W., 318


Found: N, 13.31; Si, 17.68; M.W., 325
(cryoscopic)



IX: A dilithiocarborane, slurry in ether prepared from 7.5 gr. (0.052 mol.) of carborane was added to a cooled solution of 0.11 mol. of bis(chloro dimethylsilyl)carborane (I) in ether. The mixture was refluxed overnight, filtered and the filtrate evaporated to dryness. This residue was heated at 130-140°C in vacuo to remove unreacted I. The residue was recrystallized from acetone to give a 23% (based on the original amount of I) yield of IX (m.p. 309-310°C).

Anal: Calc'd for $\text{C}_8\text{H}_{32}\text{B}_{20}\text{Si}_2$: C, 23.97; H, 8.05; B, 53.97;
Si, 14.01; M.W., 400

Found: C, 22.95; H, 7.78; B, 53.84; Si, 14.42; M.W., 379
(osmometric)



X: Bis(trichlorosilyl)carborane (0.484 gr., 0.0118 mol.) in 50 ml. of ether was allowed to react with dilithiocarborane prepared from 1.550 gr. (0.0107 mol.) of carborane in the usual manner. The reaction was refluxed overnight and then filtered. The residue was extracted several times with ether and the combined extracts were evaporated to dryness. This solid was recrystallized from benzene (2.0 gr.). The filtrate from the original reaction was concentrated and the solid which formed was removed and recrystallized from benzene (0.5 gr.). All mother liquors were combined, evaporated to dryness and this solid was also recrystallized from benzene (0.2 gr.). All three materials were shown to be identical which gave a 52.2% yield of X (m.p. 271-272°C).

Anal: Calc'd for $\text{C}_4\text{H}_{20}\text{B}_{10}\text{Cl}_4\text{Si}_2$: C, 9.95; H, 4.18; Cl, 29.39

Found: C, 9.74; H, 4.11; Cl, 29.7

Mass spectral analysis also identified the product as X in greater than 98% purity.

ACKNOWLEDGEMENT

The authors thank Mr. Herman Hoberecht for obtaining and interpreting the mass spectra of these compounds which conclusively allowed the assignment of the ring structures and also to Dr. H. Schroeder for his suggestions. This work was sponsored by the Office of Naval Research.

TECHNICAL REPORT DISTRIBUTION LIST

CONTRACTOR OLMSTEADT-PERSON CHEMICALS CORPORATION

NR NO. 356-431

CONTRACT NUMBER Honr 3355(00)

DATE 15 FEB 1962

	<u>NO. COPIES</u>		<u>NO. COPIES</u>
Commanding Officer Office of Naval Research Branch Office The John Crerar Library Building 86 East Randolph Street Chicago 1, Illinois	(1)	Air Force Office of Scientific Research (SRC-E) Washington 25, D. C.	(1)
Commanding Officer Office of Naval Research Branch Office 346 Broadway New York 13, New York	(1)	Commanding Officer Diamond Ordnance Fuze Laboratories Washington 25, D. C. Attn: Technical Information Office Branch 012	(1)
Commanding Officer Office of Naval Research Branch Office 1030 East Green Street Pasadena 1, California	(1)	Office, Chief of Research & Development Department of the Army Washington 25, D. C. Attn: Physical Sciences Division	(1)
Commanding Officer Office of Naval Research Branch Office Box 39 Navy #100 Fleet Post Office New York, New York	(7)	Chief, Bureau of Ships Department of the Navy Washington 25, D. C. Attn: Code 342A Code 634C	(2) (1)
Director, Naval Research Laboratory Washington 25, D. C. Attn: Technical Information Officer Chemistry Division	(6) (2)	Chief, Bureau of Naval Weapons Department of the Navy Washington 25, D. C. Attn: Technical Library Code RRMA-3	(3) (1)
Chief of Naval Research Department of the Navy Washington 25, D. C. Attn: Code 425	(2)	ASTIA Document Service Center Arlington Hall Station Arlington 12, Virginia	(10)
DDP&E Technical Library Room 3C-128, The Pentagon Washington 25, D. C.	(1)	Director of Research U.S. Army Signal Research & Development Laboratory Fort Monmouth, New Jersey	(1)
Technical Director Research & Engineering Division Office of the Quartermaster General Department of the Army Washington 25, D. C.	(1)	Naval Radiological Defense Laboratory San Francisco 24, California Attn: Technical Library	(1)
Research Director Clothing & Organic Materials Division Quartermaster Research & Engineering Command U. S. Army Natick, Massachusetts	(1)	Naval Ordnance Test Station China Lake, California Attn: Head, Chemistry Division Code 40 Code 50	(1) (1)

REVISED 1 FEB 1962

TECHNICAL REPORT DISTRIBUTION LIST

Page 2

CONTRACTOR OLIN MATHIESON CHEMICALS CORPORATION

NR NO. 356-431

CONTRACT NUMBER Nonr 3395(00)

DATE 15 FEB. 1962

	<u>NO. COPIES</u>		<u>NO. COPIES</u>
Commanding Officer Army Research Office Box CM, Duke Station Durham, North Carolina Attn: Scientific Synthesis Office	(1)	Dr. Albert Lightbody Naval Ordnance Laboratory White Oak, Maryland	(1)
Brookhaven National Laboratory Chemistry Department Upton, New York	(1)	Commanding Officer and Director U. S. Naval Civil Engineering Lab. Port Hueneme, California Attn: Chemistry Division	(1)
Atomic Energy Commission Division of Research Chemistry Programs Washington 25, D. C.	(1)	Dr. A. L. Powell Office of Naval Research Branch Office 495 Summer Street Boston 10, Mass.	(1)
Atomic Energy Commission Division of Technical Information Extension Post Office Box 62 Oak Ridge, Tennessee	(1)	Aeronautical Systems Division ASRCNP Wright-Patterson Air Force Base Ohio	(1)
U.S. Army Chemical Research and Development Laboratories Technical Library Army Chemical Center, Maryland	(1)	Dr. H. C. Clark Department of Chemistry University of British Columbia Vancouver, British Columbia, Canada	(1)
Office of Technical Services Department of Commerce Washington 25, D. C.	(1)	Dr. E. G. Rochow Department of Chemistry Harvard University Cambridge 38, Mass.	(1)
Dr. P. A. Miller Office of Naval Res. Br. Off. 1000 Geary Street San Francisco 9, Calif.	(1)	Dr. John E. Leffler Department of Chemistry Florida State University Tallahassee, Fla.	(1)
Dr. C. Haber Naval Ordnance Laboratory Corona, California	(1)	Dr. William N. Lipscomb Department of Chemistry Harvard University Cambridge, Mass.	(1)
Dr. Porter W. Erickson Chemistry Research Department Non-Metallic Materials Division Naval Ordnance Laboratory White Oak, Maryland	(1)	Dr. T. D. Parsons Department of Chemistry Oregon State College Corvallis, Oregon	(1)

TECHNICAL REPORT DISTRIBUTION LIST

Page 3

CONTRACTOR OLIN MATHIESON CHEMICALS CORPORATION

MR NO. 356-431

CONTRACT NUMBER Nonr 3395(00)

DATE 15 FEB 1962

	<u>NO. COPIES</u>		<u>NO. COPIES</u>
Dr. L. F. Rahn Princeton University Princeton Plastics Laboratory Princeton, New Jersey	(1)	Aircraft Industries Association 7660 Beverly Boulevard Los Angeles 36, Calif. Attn: Mr. H. D. Moran	(10)
Dr. A. V. Tobolsky Department of Chemistry Princeton University Princeton, New Jersey	(1)	American Potash & Chem. Corp. 201 W. Washington Blvd. Whittier, California Attn: Dr. W. S. Emerson	(2)
Dr. R. S. Stein Department of Chemistry University of Massachusetts Amherst, Massachusetts	(1)	U. S. Borax Research Corp. Attn: Dr. Carl Randolph Anaheim, California	(2)
Dr. S. Young Tyree, Jr. Department of Chemistry University of North Carolina Chapel Hill, North Carolina	(1)	General Electric Company Research Laboratory P. O. Box 1088 Schenectady, New York Attn: Dr. J. R. Elliot	(2)
Dr. J. C. Bailar, Jr. Department of Chemistry University of Illinois Urbana, Illinois	(2)	Dr. P. D. George General Electric Company General Engineering Lab. Schenectady, New York	(2)
Dr. L. F. Audrieth Department of Chemistry University of Illinois Urbana, Illinois	(2)	Dr. Hans B. Jonassen Department of Chemistry Tulane University New Orleans 15, Louisiana	(1)
Dr. A. B. Burg Department of Chemistry University of Southern California Los Angeles 7, Calif.	(2)	Dr. Henry Taube Department of Chemistry Stanford University Stanford, Calif.	(1)
Dr. Riley Schaeffer Department of Chemistry Indiana University Bloomington, Indiana	(1)	Plastics Technical Evaluation Center Picatinny Arsenal Dover, N. J.	(1)
Dr. T. G. Fox, Jr., Director of Research Mellon Institute 4400 Fifth Avenue Pittsburgh 13, Pennsylvania	(1)	Dr. G. Barth-Wehrenalp, Director Inorganic Research Department Pennsalt Chemicals Corporation Box 4388 Philadelphia 18, Penna.	(2)

TECHNICAL REPORT DISTRIBUTION LIST

Page 4

CONTRACTOR OLIN MATTHEWSON CHEMICALS CORPORATION

NR NO. 356-431

CONTRACT NUMBER Nonr 3395(00)

DATE 11 FEB 1962

	<u>NO. COPIES</u>		<u>NO. COPIES</u>
Dr. M. M. Chamberlain Department of Chemistry Western Reserve University Cleveland, Ohio	(1)	Dr. D. A. Brown Department of Chemistry University College Upper Merrion Street Dublin, Ireland	(1)
Dr. D. C. Bradley Department of Chemistry University of Western Ontario London, Canada	(1)	Dr. Albert Cotton Department of Chemistry Massachusetts Institute of Technology Cambridge 39, Mass.	(1)
Dr. T. P. Onak Department of Chemistry Los Angeles State College Los Angeles, California	(1)	Dr. Robert R. Holmes Department of Chemistry Carnegie Institute of Technology Pittsburgh 13, Penn.	(1)
Dr. M. J. S. Dewar Department of Chemistry University of Chicago Chicago, Illinois	(1)	Prof. L. A. Bigelow Department of Chemistry Duke University Durham, N. C.	(1)
Dr. M. S. Cohen Thiokol Chemical Corporation Reaction Motors Division Denville, New Jersey	(1)	Dr. William T. Miller Department of Chemistry Cornell University Ithaca, New York	(1)
Inspector of Naval Material 181 Middle Street Bridgeport 3, Conn.	(1)	Prof. Jack Hine Department of Chemistry Georgia Institute of Technology Atlanta 3, Georgia	
Dr. George F. Huff, Vice President Research and Development Callery Chemical Company Callery, Penn.	(1)	Prof. Herbert C. Brown Department of Chemistry Purdue University Lafayette, Indiana	(1)
Dr. Joyce J. Kaufman RIAS 7212 Bellona Avenue Baltimore 12, Maryland	(1)	Dr. Phillip S. Skell Department of Chemistry Pennsylvania State University University Park, Penn.	(1)
Dr. Arthur Finch Royal Holloway College University of London London, England	(1)	Dr. B. D. Post Polytechnic Institute of Brooklyn Brooklyn 1, New York	(1)

TECHNICAL REPORT DISTRIBUTION LIST

Page 5

CONTRACTOR OLIN MATHIESON CHEMICALS CORPORATION

NR NO. 356-431

CONTRACT NUMBER Nonr 3395 (00)

DATE 15 FEB, 1962

NO. COPIES

Dr. R. T. Holzmann
Advanced Research Projects Agency
Washington 25, D. C. (1)

Commander
Ordnance Corps
Rock Island Arsenal
Rock Island, Illinois
Attn: ORDBC 9320-ZTO (1)

New York Naval Shipyard
Material Laboratory
Brooklyn 1, New York
Attn: Mr. B. B. Simms (1)

Bureau of Ships,
Department of the Navy
Washington 25, D. C.
Code 660L
Attn: Mr. E. J. Hrycklewicz (1)

Dr. M. F. Hawthorne
Department of Chemistry
University of California, Riverside
Riverside, California (1)

Dr. Roald Hoffman
Department of Chemistry
Harvard University
Cambridge, Massachusetts (1)

Mr. J. A. Kies
Code 6210
Naval Research Laboratory
Washington 25, D. C. (1)

Mr. E. J. Kohn
Code 6110
Naval Research Laboratory
Washington 25, D. C. (1)

Dr. R. B. Fox (1)
Mr. J. E. Cowling (1)
Dr. A. L. Alexander (1)
Dr. D. L. Venezky (1)
Code 6120
Naval Research Laboratory
Washington 25, D. C.

Dr. O. Williams
National Science Foundation
Washington 25, D. C. (1)

Monsanto Research Corporation
1515 Nicholas Road
Dayton, Ohio
Attn: Librarian (1)

Monsanto Research Corporation
Everett Station
Boston 49, Massachusetts
Attn: Librarian

The Dow Chemical Company
ARPA Laboratory
1710 Building
Midland, Michigan (1)

Naval Ordnance Test Station
China Lake, California
Attn: Code 4544 (Dr. Kaufman) (1)
Code 5557 (Mr. S. H. Herzog)
(Mr. R.J. Landry) (1)